

# RP 251 PRESSING TOOL

**RIDGID**

The Most  
**POWERFUL  
COMPACT**  
Press Tool



**NEW!**



**ERGONOMIC ULTRA SLIM  
INLINE DESIGN**



**< 2 KG**



**INFINITE HEAD  
ROTATION**



**BRUSHLESS  
MOTOR TECH**

# RP 251

ACCESS GRANTED IN THE MOST CONFINED SPACES



**LARGE LED-RING**  
The integrated LED-ring improves jobsite lighting



**WEIGHS < 2.0 KG**  
RP 251 is the ideal 'No Fatigue'-tool, also in overhead applications



**ENDLESS 360° HEAD SWIVEL**  
for reaching tight spaces from practically every angle



**ERGONOMIC, IN-LINE DESIGN, FORWARD-POSITIONED TRIGGER**  
and SlimGrip handle allows for Easy one-handed Comfortable Operation



**PRESS EVERYWHERE, ANYWHERE!**



EVER SO POWERFUL, EVER SO COMPACT WITH THE INNOVATION AT YOUR FINGERTIP

## PERSISTENT

The RP 251 takes pressing speed to the next level, with a press cycle time of only 3 secs allowing you to get your pressing job done at the blink of an eye.

RP 251 Completes up to 140 presses per charge with the 12 V Li-Ion Battery.



## COMPLETE

RP 251 comes with a full range of 24 kN press jaws and profiles, ranging from M & V profiles up to 35 mm for metallic connections to TH, U and RF up to 32 mm for plastic and multilayer systems.



## CONNECTIVITY

Bluetooth® connectivity allows access to tool information, such as the number of press cycles, service interval, battery status, and more, with the free RIDGID Link app.

Theft protection can be enabled in the app to lock the tool automatically if it is not detected nearby.



## PERFORMANCE

**No Scheduled Maintenance!**  
**Lowest Cost Of Ownership!**

With the RP 251 you don't have to worry about yearly servicing requirement and high servicing costs.

Its **Brushless motor** is capable of over **60,000 press cycles** without any 'Time Limitation', the RP 251 offers you the lowest cost-of-ownership.



# ORDERING INFORMATION



## SPECIFICATIONS:

Model No.	RP 251
Weight	1.62 kg (Tool Only)
Capacity Copper & (Stainless) Steel	12 - 35 mm
Capacity Multilayer & Plastic	14 - 32 mm
Force Output	24 kN
Power Source	12 V 2.5 Ah Advanced Lithium Battery
Crimp Cycle Time	3-4 seconds
LED-light	Yes, Large LED-ring
Head Rotation	360° Infinite
Bluetooth Range	10 m
Bolt Sensor	Yes, Bolt Sensor Plus
Service Interval	Capable of 60,000 cycles

## ORDERING INFORMATION:

Catalog No.	Description	Weight (kg)
78308	RP 251 Press Tool Only	1.62
78318	RP 251 Press Tool Battery Kit No Jaws	6.29
78268	RP 251 Press Tool Battery Kit with V-Profile Jaws (15, 22, 28)	9.44
78278	RP 251 Press Tool Battery Kit with TH-Profile Jaws (16, 20, 26)	12.52
78288	RP 251 Press Tool Battery Kit with M-Profile Jaws (15, 22, 28)	-

## ACCESSORIES:

Catalog No.	Description
78328	Carrying Case for RP 251 Press Tool
55183	12 V Li-Ion 2.5 Ah Battery
55198	12 V Charger 230 V - EU
55218	12 V Charger 110 V - UK



For more details visit  
[RIDGID.com/warranty](https://RIDGID.com/warranty)



LET'S KEEP IN TOUCH • [RIDGID.EU/SIGNUP](https://RIDGID.EU/SIGNUP)

RIDGID® reserves the right to change design and specification of our products without notification or alteration of literature. For the complete selection of the Ridge Tool product line, please refer to the RIDGID® Tool Catalog or [RIDGID.com](https://RIDGID.com).

© 2024. RIDGID and the Emerson logo are registered trademarks of Emerson Electric Co. or its subsidiaries in the U.S. and other countries. All other trademarks belong to their respective holders.

Cat.No.	Description
<b>V PROFILE – 24 KN COMPACT V-JAWS</b>	
22588	V12 Press Jaw
22593	V14 Press Jaw
22598	V15 Press Jaw
22603	V16 Press Jaw
22608	V18 Press Jaw
22613	V22 Press Jaw
22618R	V28 Press Jaw
33158	V35 Press Jaw
<b>M PROFILE – 24 KN COMPACT M-JAWS</b>	
76503	M12 Press Jaw
76508	M15 Press Jaw
76513	M18 Press Jaw
76518	M22 Press Jaw
76523	M28 Press Jaw
76528	M35 Press Jaw
<b>TH PROFILE – 24 KN COMPACT TH-JAWS</b>	
24708	TH14 Press Jaw
24713	TH16 Press Jaw
24718	TH18 Press Jaw
24723	TH20 Press Jaw
24728	TH26 Press Jaw
24733	TH32 Press Jaw
24738	TH32 Henco Press Jaw
<b>U PROFILE – 24 KN COMPACT U-JAWS</b>	
22908	U14 Press Jaw
22913	U16 Press Jaw
22918	U18 Press Jaw
22923	U20 Press Jaw
22928	U25 Press Jaw
22933	U32 Press Jaw
<b>RF-S PROFILE – 24 KN COMPACT RF-S-JAWS</b>	
45688	Jaw, 24 kN RF-S 16
45693	Jaw, 24 kN RF-S 18
45698	Jaw, 24 kN RF-S 20
45703	Jaw, 24 kN RF-S 25
45708	Jaw, 24 kN RF-S 32

DISTRIBUTOR



Ridge Tool Europe N.V.  
 Ondernemerslaan 5428  
 B-3800 Sint-Truiden  
 Belgium

Tel.: +32 (0)11 598 620  
[RIDGID.benelux@emerson.com](mailto:RIDGID.benelux@emerson.com)  
[RIDGID.com](https://RIDGID.com)



EMERSON™